

Super Erecta® Solid Shelving


Setting the standard for solid shelving.

Perfect for applications involving spillage. Provides barrier between floor and bottom shelf contents to deter contamination.

- Shelf design features a 1/8" (3.2mm) raised "ship's edge" on all four sides to contain spills.
- Sturdy aluminum corner castings firmly secure shelf to posts using standard Super Erecta split sleeves provided.
- Louvered/embossed shelf allows air circulation.
- Available in 18-gauge stainless steel (Type 304) or galvanized materials.
- Stainless solid shelving uses improved black epoxy e-coated corners for better chemical resistance and corrosion resistance. Galvanized solid shelving uses uncoated cast corners.



Flat Solid Stainless Shelves with black powder-coated corners




Shown in stainless with black powder-coated corners.

Metro Tip:
Use Metro Flat Solid Shelving at the bottom of a storage unit to maintain cleanliness by providing a barrier between floor and shelf contents above.

SiteSelect Posts for Super Erecta® Solid Shelving — 10.20

Stationary posts are fitted with adjustable leveling bolts to compensate for uneven surfaces. Mobile posts come without leveling bolt to accommodate stem casters. Special length posts are available.**

Height* (in.)	(mm)	Approx. Pkd. Wt. (lbs.)	(kg)	Cat. No. Chrome Stationary	Cat. No. Chrome Mobile	List Price Each	Cat. No. Stainless Stationary	Cat. No. Stainless Mobile	List Price Each
7 1/2	191	1/2	0.3	7P		10.00			
14 1/2	370	1	0.5	13P		12.00	13PS		24.50
27 1/2	699	1 3/4	0.75	27P	27UP	14.00	27PS	27UPS	34.50
34 1/2	875	2	0.9	33P	33UP	15.00	33PS	33UPS	38.50
54 9/16	1385	3	1.4	54P	54UP	18.00	54PS	54UPS	43.00
62 9/16	1590	3 1/2	1.6	63P	63UP	19.00	63PS	63UPS	48.00
74 5/8	1895	4	1.8	74P	74UP	21.00	74PS	74UPS	54.50
86 5/8	2200	5	2.3	86P	86UP	26.00	86PS	86UPS	63.00
96 5/8	2454	5 1/2	2.5	***96P		30.00			



SiteSelect™ Posts are grooved at 1" (25mm) increments and numbered at 2" (50mm) increments. Posts are double-grooved every 8" (203mm) for easy identification.

*Height includes leveling bolt and cap.
**Note: Special length posts are available, priced at next higher length plus a cutting charge of \$6.00.
Post lengths to be specified as cut to a round number, ie: 74P cut to 69" (1753mm) . . . This will result in an overall post height with adjustment of 69 3/8" (1762mm) to 69 1/8" (1775mm).
***96P should not be used on units less than 24" (610mm) deep. Consult Metro Engineering for alternate recommendations.

Super Erecta® Solid Shelving — 10.20

Packaging: Super Erecta Shelf Solid Shelves are packaged 4 to a carton (shelves sold separately) except the 21"x48" (530x1219mm) and all 60" (1524mm) models which are packaged 2 (shelves sold separately) to a carton. Plastic split sleeves are included with each shelf. Stainless solid shelving has black powder-coated corners. Galvanized solid shelving has uncoated cast corners.

Flat

Width/Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Galvanized	List Price Each	Cat. No. Stainless	List Price Each
14x24 355x610	10 4.5	1424FG	67.00	1424FS	163.00
14x30 355x760	12 5.4	1430FG	72.00	1430FS	168.00
14x36 355x914	14 6.4	1436FG	72.00	1436FS	168.00
14x42 355x1066	15 6.8	1442FG	80.00	1442FS	202.00
14x48 355x1219	17 7.7	1448FG	80.00	1448FS	202.00
14x60 355x1524	22 9.9	1460FG	87.00	1460FS	241.00
18x24 457x610	11 5.0	1824FG	72.00	1824FS	185.00
18x30 457x760	14 6.4	1830FG	77.00	1830FS	189.00
18x36 457x914	16 7.3	1836FG	77.00	1836FS	189.00
18x42 457x1066	18 8.2	1842FG	87.00	1842FS	231.00
18x48 457x1219	20 9.1	1848FG	87.00	1848FS	231.00
18x60 457x1524	24 10.9	1860FG	99.00	1860FS	277.00
21x24 530x610	13 5.9	2124FG	79.00	2124FS	206.00
21x30 530x760	15 6.8	2130FG	83.00	2130FS	210.00
21x36 530x914	18 8.2	2136FG	83.00	2136FS	210.00
21x42 530x1066	21 9.5	2142FG	97.00	2142FS	264.00
21x48 530x1219	23 10.4	2148FG	97.00	2148FS	264.00
21x60 530x1524	26 11.8	2160FG	111.00	2160FS	323.00
24x24 610x610	15 6.8	2424FG	87.00	2424FS	222.00
24x30 610x760	17 7.7	2430FG	92.00	2430FS	227.00
24x36 610x914	19 8.6	2436FG	92.00	2436FS	227.00
24x42 610x1066	21 9.5	2442FG	105.00	2442FS	276.00
24x48 610x1219	24 10.9	2448FG	105.00	2448FS	276.00
24x60 610x1524	31 14.0	2460FG	118.00	2460FS	336.00

Louvered/Embossed

Width/Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Galvanized	List Price Each	Cat. No. Stainless	List Price Each
14x24 355x610	10 4.5	1424LG	77.00	1424LS	173.00
14x30 355x760	12 5.4	1430LG	82.00	1430LS	178.00
14x36 355x914	14 6.4	1436LG	82.00	1436LS	178.00
14x42 355x1066	15 6.8	1442LG	90.00	1442LS	212.00
14x48 355x1219	17 7.7	1448LG	90.00	1448LS	212.00
14x60 355x1524	22 9.9	1460LG	97.00	1460LS	251.00
18x24 457x610	11 5.0	1824LG	82.00	1824LS	195.00
18x30 457x760	14 6.4	1830LG	87.00	1830LS	199.00
18x36 457x914	16 7.3	1836LG	87.00	1836LS	199.00
18x42 457x1066	18 8.2	1842LG	97.00	1842LS	241.00
18x48 457x1219	20 9.1	1848LG	97.00	1848LS	241.00
18x60 457x1524	24 10.9	1860LG	109.00	1860LS	287.00
21x24 530x610	13 5.9	2124LG	89.00	2124LS	216.00
21x30 530x760	15 6.8	2130LG	93.00	2130LS	220.00
21x36 530x914	18 8.2	2136LG	93.00	2136LS	220.00
21x42 530x1066	21 9.5	2142LG	107.00	2142LS	274.00
21x48 530x1219	23 10.4	2148LG	107.00	2148LS	274.00
21x60 530x1524	26 11.8	2160LG	121.00	2160LS	333.00
24x24 610x610	15 6.8	2424LG	97.00	2424LS	232.00
24x30 610x760	17 7.7	2430LG	102.00	2430LS	237.00
24x36 610x914	19 8.6	2436LG	102.00	2436LS	237.00
24x42 610x1066	21 9.5	2442LG	115.00	2442LS	286.00
24x48 610x1219	24 10.9	2448LG	115.00	2448LS	286.00
24x60 610x1524	31 14.0	2460LG	128.00	2460LS	346.00

Embossed

Width/Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Galvanized	List Price Each	Cat. No. Stainless	List Price Each
14x24 355x610	10 4.5	1424EG	71.00	1424ES	167.00
14x30 355x760	12 5.4	1430EG	76.00	1430ES	172.00
14x36 355x914	14 6.4	1436EG	76.00	1436ES	172.00
14x42 355x1066	15 6.8	1442EG	84.00	1442ES	206.00
14x48 355x1219	17 7.7	1448EG	84.00	1448ES	206.00
14x60 355x1524	22 9.9	1460EG	91.00	1460ES	245.00
18x24 457x610	11 5.0	1824EG	76.00	1824ES	189.00
18x30 457x760	14 6.4	1830EG	81.00	1830ES	193.00
18x36 457x914	16 7.3	1836EG	81.00	1836ES	193.00
18x42 457x1066	18 8.2	1842EG	91.00	1842ES	235.00
18x48 457x1219	20 9.1	1848EG	91.00	1848ES	235.00
18x60 457x1524	24 10.9	1860EG	103.00	1860ES	281.00

Embossed (cont'd.)

Width/Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Galvanized	List Price Each	Cat. No. Stainless	List Price Each
21x24 530x610	13 5.9	2124EG	83.00	2124ES	210.00
21x30 530x760	15 6.8	2130EG	87.00	2130ES	214.00
21x36 530x914	18 8.2	2136EG	87.00	2136ES	214.00
21x42 530x1066	21 9.5	2142EG	101.00	2142ES	268.00
21x48 530x1219	23 10.4	2148EG	101.00	2148ES	268.00
21x60 530x1524	26 11.8	2160EG	115.00	2160ES	327.00
24x24 610x610	15 6.8	2424EG	91.00	2424ES	226.00
24x30 610x760	17 7.7	2430EG	96.00	2430ES	231.00
24x36 610x914	19 8.6	2436EG	96.00	2436ES	231.00
24x42 610x1066	21 9.5	2442EG	109.00	2442ES	280.00
24x48 610x1219	24 10.9	2448EG	109.00	2448ES	280.00
24x60 610x1524	31 14.0	2460EG	122.00	2460ES	340.00

Note: With 14" (355mm) shelving, foot plates must be used on freestanding units; on mobile units, maximum post height is 54" (1370mm).

Note: The actual length of the shelves is 1/8" (317mm) shorter than the nominal dimension shown. The actual depth of the shelves is 1/8" (317mm) greater than the nominal dimension shown.

For posts for mobile applications see page 42. For casters and dollies, see pages 26-30.

Super Erecta® Counter Units — 10.35

To create a counter unit, select the following components:
 2 each — 14" (355mm) deep upper shelves, listed above
 2 each — 24" (610mm) deep lower shelves, listed above
 2 each — upper front posts, listed below
 2 each — lower front posts, listed below
 2 each — 63" (1600mm) or 74" (1880mm) high back posts (page 42).

Special Posts For Counter Units — 10.35

	Unit Height (in.) (mm)	Post Height* (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Plated	List Price Each	Cat. No. Stainless	List Price Each
Upper Front Posts	63 1600	28 ⁵ / ₈ 727	1 ¹ / ₂ 0.7	27PF	18.00	27PFS	43.00
	74 1880	40 ⁵ / ₈ 1032	2 0.9	39PF	20.00	39PFS	55.50
Lower Front Posts	All Heights	34 ¹ / ₂ 877	2 0.9	33PM	19.00	33PMS	44.00

*Height includes leveling bolt and cap.



Counter Unit with galvanized shelves.

Shelf Ledges for Solid Shelves — 10.25

Sturdy 4" (101mm) ledges contain items on shelves. Spring-clip tabs included for attachment.

Fits Shelf Length (in.)	Fits Shelf Length (mm)	Approx. Pkd. Wt. Per 6 Pieces		Cat. No. Chrome	List Price Each	Cat. No. Stainless	List Price Each
		(lbs.)	(kg)				
14	355	7½	3.4	L14WC	16.00	L14WS	31.50
18	457	9	4.1	L18WC	17.00	L18WS	33.00
21	530	10½	4.7	L21WC	18.00	L21WS	37.00
24	610	12	5.4	L24WC	19.00	L24WS	41.00
30	760	13½	6.0	L30WC	24.50	L30WS	48.50
36	914	16½	7.4	L36WC	27.50	L36WS	58.00
42	1066	19½	8.7	L42WC	28.50	L42WS	63.00
48	1219	22½	10.1	L48WC	33.00	L48WS	72.50
60	1524	30	13.5	L60WC	35.00	L60WS	83.00

*Actual ledge length is approximately 1" (25mm) shorter than nominal shelf length/width.



4" (101mm) Ledges

Rods and Tabs for Solid Shelves — 10.25

Create a more versatile system by enclosing sides and back of an entire unit. Tabs required to attach rods to a 4-shelf unit are supplied. Additional tabs also available in bags of 6 (see below).

Rods

Min. Post Height (in.)	Rod Length		Approx. Pkd. Wt.		Cat. No. Chrome	List Price Each
	(in.)	(mm)	(lbs.)	(kg)		
54	52	1320	1	0.5	R52FC	8.50
63	60	1524	1	0.5	R60FC	9.50
74	72	1830	1¼	0.6	R72FC	10.50
86	84	2135	1½	0.7	R84FC	12.00

Additional Tabs

Cat. No. **9184Z**
List Price 9.50 per bag of 6.



Rods with Tab in place

Shelf Dividers — 10.25

The easy way to keep shelves orderly. Eight inch (203mm) high dividers attach with spring clips (provided).

Length (in.)	Length (mm)	Approx. Pkd. Wt. Per 6 Pieces		Cat. No. Chrome	List Price Each	Cat. No. Stainless	List Price Each
		(lbs.)	(kg)				
14	355	12	5.4	DD14FC	17.00		
18	457	13½	6.0	DD18FC	20.00	DD18FS	51.50
21	530	15	6.8	DD21FC	22.50		
24	610	16½	7.4	DD24FC	25.50	DD24FS	62.00



Shelf Dividers

Solid Shelf Joining Clamp — 10.25

Save time and money by eliminating adjacent posts and replacing with solid shelf joining clamps. Join units end-to-end, back-to-back or at right angles. Two clamps required per shelf to attach to adjacent units.

Zinc. Cat. No. **9998Z** List Price 4.00 each



Joining Clamp

Add-On Units

Shelves with joining clamps can only be attached to shelves supported by two or more posts.

Adjustable Undershelf Slides — 10.25

Create a convenient drawer system by combining a tote box with these slides. Two slides are required, and can be spaced to fit any width container.

Item	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No. Solid	List Price Each
For 18" (457mm) wide shelf	1	0.4	US18FA	43.50
For 21" (530mm) wide shelf	1	0.4	US21FA	46.50
For 24" (610mm) wide shelf	1	0.4	US24FA	49.50



Adjustable Undershelf Slides

*For application-specific totes, refer to index.

Stem Caster Carts — Solid — 11.10

- Consist of four shelves, posts, plastic split sleeves, donut bumpers and 5" (127mm) resilient rubber or poly casters as designated.
- Strong and versatile
- Solid Shelf Stem Caster Carts feature a 1/8" (3mm) raised "ship's edge" around perimeter of shelves to help contain spillage.

With Galvanized Flat Shelves and Chrome-Plated Posts
63" (1600mm) Posts — Overall Height 69" (1753mm)

Shelf Width/Length (in.)	Shelf Width/Length (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Catalog Number with Casters							
			Four Swivel Resilient Rubber Casters	List Price Each	Two Swivel Two Brake Resilient Rubber Casters	List Price Each	Four Swivel Polyurethane Casters	List Price Each	Two Swivel Two Brake Polyurethane Casters	List Price Each
18x36	457x914	88 40	F336AG	484.00	F336BG	494.00	F336DG	542.00	F336EG	553.00
18x48	457x1219	104 47	F356AG	524.00	F356BG	534.00	F356DG	582.00	F356EG	593.00
18x60	457x1524	128 58	F366AG	572.00	F366BG	582.00	F366DG	630.00	F366EG	641.00
21x36	530x914	94 42	F436AG	508.00	F436BG	518.00	F436DG	566.00	F436EG	577.00
21x48	530x1219	112 51	F456AG	564.00	F456BG	574.00	F456DG	622.00	F456EG	633.00
21x60	530x1524	126 57	F466AG	620.00	F466BG	630.00	F466DG	678.00	F466EG	689.00
24x36	610x914	100 45	F536AG	544.00	F536BG	554.00	F536DG	602.00	F536EG	613.00
24x48	610x1219	124 56	F556AG	596.00	F556BG	606.00	F556DG	654.00	F556EG	665.00
24x60	610x1524	152 69	F566AG	648.00	F566BG	658.00	F566DG	706.00	F566EG	717.00



Solid Stem Caster with galvanized shelves

For specific caster information, see pages 26-30.

Dolly Trucks — Solid — 11.35

With Galvanized Shelves
63" (1600mm) Plated Posts and Aluminum Dolly

Shelf Width/Length (in.)	Shelf Width/Length (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Catalog Number with Casters							
			Two B5DN Two B5DNB	List Price Each	Two B5P Two B5PB	List Price Each	Two 8P Set BL8P	List Price Each	Two 6P Set BL6P	List Price Each
18x36	457x914	104 47	F336JG	747.50						
18x48	457x1219	122 55	F356JG	808.50	F356LG	868.50				
18x60	457x1524	140 63	F366JG	885.50	F366LG	945.00				
24x36	610x914	118 53	F536JG	822.50	F536LG	882.00	F536MG	1,264.50		
24x48	610x1219	150 68	F556JG	896.50	F556LG	956.50	F556MG	1,338.50	F556PG	1,431.50
24x60	610x1524	178 81	F566JG	948.50	F566LG	1,034.00	F566MG	1,416.00	F566PG	1,486.50

With Stainless Steel Shelves
63" (1600mm) Stainless Steel Posts and Stainless Steel Dolly

Shelf Width/Length (in.)	Shelf Width/Length (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Catalog Number with Casters							
			Two B5DN Two B5DNB	List Price Each	Two B5P Two B5PB	List Price Each	Two 8P Set BL8P	List Price Each	Two 6P Set BL6P	List Price Each
18x36	457x914	114 51	F336JS	1,600.50						
18x48	457x1219	134 61	F356JS	1,802.50	F356LS	1,861.50				
18x60	457x1524	154 70	F366JS	2,022.50	F366LS	2,081.50				
24x36	610x914	130 59	F536JS	1,768.50	F536LS	1,827.50	F536MS	2,204.50		
24x48	610x1219	168 76	F556JS	2,005.00	F556LS	2,064.00	F556MS	2,441.00	F556PS	2,509.50
24x60	610x1524	202 92	F566JS	2,282.00	F566LS	2,341.00	F566MS	2,718.00	F566PS	2,786.50

Replacement wraparound bumper kits are available. See your Metro representative for details.
Dolly truck heights: B5P Series = 70" (1778mm) nominal overall height. 6P Series = 73" (1854mm) nominal overall height.



Solid Dolly Truck with stainless shelves.

See page 44 for Super Erecta Solid Shelving accessories.

HD Super™ Solid Shelving

The Super Heavyweight!

Heavy-duty system features 16-gauge solid shelves.

- Large 1⁵/₈" (41mm) diameter posts and 2" (51mm) shelf adjustability.
- Shelf options include flat or louvered/embossed styles, and galvanized or stainless steel finishes.

HD Super Flat Shelves — 10.65

Width/Length (in./mm)		Approx. Pkd. Wt. (lbs./kg)		Cat. No. Galvanized	List Price Each	Cat. No. Stainless	List Price Each
18x36	457x914	21	9.5	1836HFG	126.50	1836HFS	284.50
18x42	457x1066	23	10.4	1842HFG	143.00	1842HFS	347.50
18x48	457x1219	26	11.7	1848HFG	143.00	1848HFS	347.50
18x54	457x1370	28	12.7	1854HFG	167.00	1854HFS	416.50
18x60	457x1524	31	14.0	1860HFG	167.00	1860HFS	416.50
24x36	610x914	25	11.3	2436HFG	143.00	2436HFS	363.50
24x42	610x1066	29	13.1	2442HFG	167.00	2442HFS	435.00
24x48	610x1219	32	14.4	2448HFG	167.00	2448HFS	435.00
24x54	610x1370	35	15.8	2454HFG	199.00	2454HFS	521.00
24x60	610x1524	38	17.1	2460HFG	199.00	2460HFS	521.00

HD Super Louvered/Embossed Shelves — 10.65

Width/Length (in./mm)		Approx. Pkd. Wt. (lbs./kg)		Cat. No. Stainless	List Price Each
18x36	457x914	21	9.5	1836HLS	301.50
18x42	457x1066	23	10.4	1842HLS	358.00
18x48	457x1219	26	11.7	1848HLS	358.00
18x54	457x1370	28	12.7	1854HLS	429.50
18x60	457x1524	31	14.0	1860HLS	429.50
24x36	610x914	25	11.3	2436HLS	377.50
24x42	610x1066	29	13.1	2442HLS	443.50
24x48	610x1219	32	14.4	2448HLS	443.50
24x54	610x1370	35	15.8	2454HLS	531.50
24x60	610x1524	38	17.1	2460HLS	531.50

Note: The weight capacity of a HD Super Shelf is 1,000 lbs. (457kg) per shelf, evenly distributed across shelf.

HD Super Stationary Posts — 10.65

Height* (in./mm)	Approx. Pkd. Wt. (lbs./kg)	Cat. No. Chrome	List Price Each	Cat. No. Metroseal 3 with Microban®		List Price Each	Cat. No. Stainless	List Price Each
				54HPK3	63HPK3			
56	1421	5.8 2.6	54HPC	50.00	54HPK3	59.00	54HPS	102.50
64	1624	6.3 2.9	63HPC	53.00	63HPK3	63.00	63HPS	111.00
76	1929	7.5 3.4	74HPC	56.00	74HPK3	69.00	74HPS	120.50

*Height includes leveling foot and cap.

Note: Special length posts are available. For more information, contact your Metro representative.

Packaging: 4 posts to a carton.

HD Super Stem Caster Posts — 10.65

Height (in./mm)	Approx. Pkd. Wt. (lbs./kg)	Cat. No. Chrome	List Price Each	Cat. No. Stainless	List Price Each	
						54UHPC
54 ⁹ / ₁₆	1386	5.7 2.5	54UHPC	50.00	54UHPS	102.50
62 ⁹ / ₁₆	1590	6.3 2.8	63UHPC	53.00	63UHPS	111.00
74 ⁵ / ₈	1894	7.5 3.3	74UHPC	56.00	74UHPS	120.50

HD Super Stem Casters — 10.65

Includes donut bumpers with each caster.

Wheel Diameter (in./mm)	Face Diameter (in./mm)	Type	Wheel Tread	Approx. Pkd. Wt. (lbs./kg)	Cat. No.	List Price Each		
5	127	1 ¹ / ₂	38.1	Swivel	Polyurethane	3 ¹ / ₂ 1.5	5HHP	56.00
5	127	1 ¹ / ₂	38.1	Brake	Polyurethane	3 ³ / ₄ 1.5	5HHPB	61.00




HD Super Solid Stainless Shelving with black powder-coated corners

Stainless solid shelving has black powder-coated corners. Galvanized solid shelving has uncoated cast corners.

HD Super™ shelves, posts, and casters found on pages 46 and 47 **are not** compatible with Super Erecta or Super Adjustable 2™ Super Erecta components.



HD Super Post



HD Super Stem Caster Post



HD Super Stem Caster

☑ Indicates antimicrobial product.

HD Super™ Dunnage Shelves — 10.67

A super heavyweight among heavyweights!

- 48" (1219mm) rack has a 3,000 pound (1361kg) static load capacity (uniformly distributed); 60" (1524mm) rack carries up to 2,400 pounds (1089kg). For use on H.D. 1⁵/₈" (41mm) posts only.
- Removable wire deck (5/16" [7.9mm] diameter wire) lifts off for easy cleaning.
- Support frames: 1¹/₂" (38mm) square tubing.



HD Super Dunnage Shelf

Width/Length (in.)	Width/Length (mm)	Approx. Pkd. Wt. (lbs.) (kg)		Cat. No. Chrome	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless	List Price Each
18x48	457x1219	35	15.7	1848HDRC	314.50	1848HDRK3	381.50	1848HDRS	702.00
18x60	457x1524	43	19.3	1860HDRC	375.50	1860HDRK3	455.00	1860HDRS	824.50
24x48	610x1219	38	17.1	2448HDRC	338.00	2448HDRK3	409.50	2448HDRS	763.00
24x60	610x1524	47	21.1	2460HDRC	398.00	2460HDRK3	482.50	2460HDRS	904.00

Important: In stationary shelving, stability decreases as the ratio of height to width increases and when heavier loads are placed on upper shelves. Keep units as wide and low as possible, using the dunnage shelf as the bottom shelf. If two dunnage shelves are being used, both should be placed within the lower half of the unit.

Note: Not compatible with Super Erecta or Super Adjustable 2™ Super Erecta components.

HD Super™ Cantilever Shelf — 10.67

Width/Length (in.)	Width/Length (mm)	Fits Unit	Approx. Pkd. Wt. (lbs.) (kg)		Cat. No. Chrome	List Price Each	Cat. No. Stainless	List Price Each
12x54	304x1372	60" (1524mm) long	11.8	5.3	1254CHC	83.00	1254CHS	193.00
12x60	304x1524	72" (1830mm) long & 96" (2440mm) long	12.7	5.7	1260CHC	83.00	1260CHS	193.00



HD Super™ Cantilever Shelf

HD Super™ Replacement Parts — 10.65

Replacement HD Super™ Aluminum Split Sleeves with Zinc Ring

4 pair per bag

Cat. No. **9986HZ** List Price 16.00 each

Replacement HD Super™ Plastic Split Sleeves

4 pair per bag

Plastic — Cat. No. **9985H** List Price 12.00 each

Post Clamps

Cat. No. **9994HZ** List Price 9.50 each

Replacement 5¹/₂" (140mm) Donut Bumpers

Cat. No. **9992H** List Price 9.50 each

Above fit 1⁵/₈" (41mm) posts only.

3¹/₂" (89mm) Foot Plates

Cat. No. **9993HS** List Price 24.50 each

Wall Mounting Brackets

(not shown)

Cat. No. **9984HZ** List Price 7.50 each




Replacement HD Super™ Aluminum Split Sleeve



Replacement HD Super™ Plastic Split Sleeve



Post Clamp



Replacement 5¹/₂" (140mm) Donut Bumper



3¹/₂" (89mm) Foot Plate

Indicates antimicrobial product.