

Super Erecta® Solid Shelving

Setting the standard for solid shelving.

Perfect for applications involving spillage. Provides barrier between floor and bottom shelf contents to deter contamination.

- Shelf design features a 1/8" (3.2mm) raised "ship's edge" on all four sides to contain spills.
- Louvered/embossed shelf allows air circulation.
- Available in several styles and materials for a variety of applications. Shelves are constructed with 18-gauge stainless steel (Type 304) or galvanized materials.

Galvanized shelves with uncoated cast corners are ideal for applications requiring a solid shelving or work surface and minimum resistance to corrosion. Available in flat solid, embossed, and louvered/embossed styles.


Standard Stainless Steel solid shelves

(Type 304) with epoxy-coated cast corners address the majority of applications for solid, corrosion resistant shelves or work surfaces. Available in flat solid, embossed, and louvered/embossed styles.

Premium Autoclave/Cart Washable Stainless Steel solid shelves (Type 304) feature an all-stainless construction to withstand high temperature, corrosive applications. Available in flat solid style.



Autoclavable/
cart washable
all-stainless
steel shelf



Shown in stainless with black powder-coated corners.



Flat Solid Stainless Shelves with black powder-coated corners

SiteSelect Posts for Super Erecta® Solid Shelving — 10.20

Stationary posts are fitted with adjustable leveling bolts to compensate for uneven surfaces. Mobile posts come without leveling bolt to accommodate stem casters. Special length posts are available.**

Height* (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome Stationary	Cat. No. Chrome Mobile	List Price Each	Cat. No. Stainless Stationary	Cat. No. Stainless Mobile	List Price Each
7 1/2 191	1/2 0.3	7P		11.00			
14 1/2 370	1 0.5	13P		13.00	13PS		27.50
27 1/2 699	1 3/4 0.75	27P	27UP	15.50	27PS	27UPS	38.50
34 1/2 875	2 0.9	33P	33UP	16.50	33PS	33UPS	43.50
54 9/16 1385	3 1.4	54P	54UP	19.50	54PS	54UPS	48.00
62 9/16 1590	3 1/2 1.6	63P	63UP	20.50	63PS	63UPS	54.00
74 5/8 1895	4 1.8	74P	74UP	22.50	74PS	74UPS	60.50
86 5/8 2200	5 2.3	86P	86UP	28.00	86PS	86UPS	70.00
96 5/8 2454	5 1/2 2.5	***96P		32.00			

*Height includes leveling bolt and cap.

**Note: Special length posts are available, priced at next higher length plus a cutting charge of \$6.00.

Post lengths to be specified as cut to a round number, ie: 74P cut to 69" (1753mm) ... This will result in an overall post height with adjustment of 69 9/8" (1762mm) to 69 7/8" (1775mm).

***96P should not be used on units less than 24" (610mm) deep. Consult Metro Engineering for alternate recommendations.

Metro Tip:

Use Metro Flat Solid Shelving at the bottom of a storage unit to maintain cleanliness by providing a barrier between floor and shelf contents above.



SiteSelect™ Posts are grooved at 1" (25mm) increments and numbered at 2" (50mm) increments. Posts are double-grooved every 8" (203mm) for easy identification.

Super Erecta® Solid Shelving — 10.20

Shelves are priced and sold individually. For standard packaging, the number of shelves per box varies by size. 14"/18" (355/457mm) wide solid shelving: less than 60" (1524mm) long (4 per carton); 60" (1524mm) long (2 per carton)
 21" (530mm) wide solid shelving: less than 42" (1066mm) long (4 per carton); 42" (1066mm) or longer (2 per carton)
 24" (610mm) wide solid shelving: 24", 30" (610, 760mm) long (4 per carton); 36" (914mm) or longer (2 per carton)

Galvanized solid shelving has uncoated, aluminum cast corners. Standard Stainless Steel solid shelving has black powder-coated corners. Autoclavable/Cart-Washable Stainless Steel solid shelving has stainless steel corners.

Width/Length (in.)	Width/Length (mm)	Approx. Pkd. Wt. per Shelf (lbs.) (kg)	GALVANIZED						STANDARD STAINLESS STEEL					
			Cat. No. Flat	List Price Each	Cat. No. Embossed	List Price Each	Cat. No. Louvered/Embossed	List Price Each	Cat. No. Flat	List Price Each	Cat. No. Embossed	List Price Each	Cat. No. Louvered/Embossed	List Price Each
14x24	355x610	10 4.5	1424FG	71.00	1424EG	75.00	1424LG	81.00	1424FS	180.00	1424ES	184.00	1424LS	190.00
14x30	355x760	12 5.4	1430FG	76.00	1430EG	80.00	1430LG	86.00	1430FS	184.00	1430ES	188.00	1430LS	194.00
14x36	355x914	14 6.4	1436FG	76.00	1436EG	80.00	1436LG	86.00	1436FS	184.00	1436ES	188.00	1436LS	194.00
14x42	355x1066	15 6.8	1442FG	84.50	1442EG	88.50	1442LG	94.50	1442FS	224.00	1442ES	228.00	1442LS	234.00
14x48	355x1219	17 7.7	1448FG	84.50	1448EG	88.50	1448LG	94.50	1448FS	224.00	1448ES	228.00	1448LS	234.00
14x60	355x1524	22 9.9	1460FG	91.50	1460EG	95.50	1460LG	101.50	1460FS	267.50	1460ES	271.50	1460LS	277.50
18x24	457x610	11 5.0	1824FG	76.00	1824EG	80.00	1824LG	86.00	1824FS	204.50	1824ES	208.50	1824LS	214.50
18x30	457x760	14 6.4	1830FG	81.50	1830EG	85.50	1830LG	91.50	1830FS	209.00	1830ES	213.00	1830LS	219.00
18x36	457x914	16 7.3	1836FG	81.50	1836EG	85.50	1836LG	91.50	1836FS	209.00	1836ES	213.00	1836LS	219.00
18x42	457x1066	18 8.2	1842FG	91.50	1842EG	95.50	1842LG	101.50	1842FS	255.50	1842ES	259.50	1842LS	265.50
18x48	457x1219	20 9.1	1848FG	91.50	1848EG	95.50	1848LG	101.50	1848FS	255.50	1848ES	259.50	1848LS	265.50
18x60	457x1524	24 10.9	1860FG	104.00	1860EG	108.00	1860LG	114.00	1860FS	311.50	1860ES	315.50	1860LS	321.50
21x24	530x610	13 5.9	2124FG	83.50	2124EG	87.50	2124LG	93.50	2124FS	233.00	2124ES	237.00	2124LS	233.00
21x30	530x760	15 6.8	2130FG	87.50	2130EG	91.50	2130LG	97.50	2130FS	237.50	2130ES	241.50	2130LS	237.50
21x36	530x914	18 8.2	2136FG	87.50	2136EG	91.50	2136LG	97.50	2136FS	237.50	2136ES	241.50	2136LS	247.50
21x42	530x1066	21 9.5	2142FG	102.00	2142EG	106.00	2142LG	112.00	2142FS	290.00	2142ES	294.00	2142LS	300.00
21x48	530x1219	23 10.4	2148FG	102.00	2148EG	106.00	2148LG	112.00	2148FS	290.00	2148ES	294.00	2148LS	300.00
21x60	530x1524	26 11.8	2160FG	116.50	2160EG	120.50	2160LG	126.50	2160FS	362.50	2160ES	366.50	2160LS	372.50
24x24	610x610	15 6.8	2424FG	91.50	2424EG	95.50	2424LG	101.50	2424FS	250.50	2424ES	254.50	2424LS	260.50
24x30	610x760	17 7.7	2430FG	97.00	2430EG	101.00	2430LG	107.00	2430FS	256.00	2430ES	260.00	2430LS	266.00
24x36	610x914	19 8.6	2436FG	97.00	2436EG	101.00	2436LG	107.00	2436FS	256.00	2436ES	260.00	2436LS	266.00
24x42	610x1066	21 9.5	2442FG	110.50	2442EG	114.50	2442LG	120.50	2442FS	308.50	2442ES	312.50	2442LS	318.50
24x48	610x1219	24 10.9	2448FG	110.50	2448EG	114.50	2448LG	120.50	2448FS	308.50	2448ES	312.50	2448LS	318.50
24x60	610x1524	31 14.0	2460FG	124.00	2460EG	128.00	2460LG	134.00	2460FS	376.00	2460ES	380.00	2460LS	386.00

Autoclavable/Cart-Washable Solid Stainless Shelving

All-stainless construction will address autoclave and cart washing applications.

Width/Length (in.)	Width/Length (mm)	Approx. Pkd. Wt. per Shelf (lbs.) (kg)	Autoclavable Stainless		List Price Each	Width/Length (in.)	Width/Length (mm)	Approx. Pkd. Wt. per Shelf (lbs.) (kg)	Autoclavable Stainless		List Price Each
			Cat. No.	List Price					Cat. No.	List Price	
14x24	355x610	10 4.5	1424NFS	207.00	21x24	530x610	13 5.9	2124NFS	268.00		
14x30	355x760	12 5.4	1430NFS	212.50	21x30	530x760	15 6.8	2130NFS	273.00		
14x36	355x914	14 6.4	1436NFS	212.50	21x36	530x914	18 8.2	2136NFS	273.00		
14x42	355x1066	15 6.8	1442NFS	257.50	21x42	530x1066	21 9.5	2142NFS	333.50		
14x48	355x1219	17 7.7	1448NFS	257.50	21x48	530x1219	23 10.4	2148NFS	333.50		
14x60	355x1524	22 9.9	1460NFS	308.00	21x60	530x1524	26 11.8	2160NFS	417.00		
18x24	457x610	11 5.0	1824NFS	235.50	24x24	610x610	15 6.8	2424NFS	288.50		
18x30	457x760	14 6.4	1830NFS	240.50	24x30	610x760	17 7.7	2430NFS	295.00		
18x36	457x914	16 7.3	1836NFS	240.50	24x36	610x914	19 8.6	2436NFS	295.00		
18x42	457x1066	18 8.2	1842NFS	293.50	24x42	610x1066	21 9.5	2442NFS	355.00		
18x48	457x1219	20 9.1	1848NFS	293.50	24x48	610x1219	24 10.9	2448NFS	355.00		
18x60	457x1524	24 10.9	1860NFS	358.50	24x60	610x1524	31 14.0	2460NFS	433.00		

Metro Tip:

Order aluminum split sleeves with stainless C-rings for corrosive, high-temperature autoclave or cart washing applications. (Cat. No. 9986S, one bag required per shelf).

Super Erecta® Counter Units — 10.35

To create a counter unit, select the following components:
 2 each — 14" (355mm) deep upper shelves, listed above
 2 each — 24" (610mm) deep lower shelves, listed above
 2 each — upper front posts, listed below
 2 each — lower front posts, listed below
 2 each — 63" (1600mm) or 74" (1880mm) high back posts (page 42).

Special Posts For Counter Units — 10.35

	Unit Height (in.)	Unit Height (mm)	Post Height* (in.)	Post Height* (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Plated	List Price Each	Cat. No. Stainless	List Price Each	
Upper Front Posts	63	1600	28 ⁵ / ₈	727	1 ¹ / ₂	0.7	27PF	19.50	27PFS	48.00
	74	1880	40 ⁵ / ₈	1032	2	0.9	39PF	21.50	39PFS	62.00
Lower Front Posts	All Heights		34 ¹ / ₂	877	2	0.9	33PM	20.50	33PMS	49.00

*Height includes leveling bolt and cap.



Counter Unit with galvanized shelves.

Shelf Ledges for Solid Shelves — 10.25

Sturdy 4" (101mm) ledges contain items on shelves. Spring-clip tabs included for attachment.

Fits Shelf Length (in.) (mm)	Approx. Pkd. Wt. Per 6 Pieces (lbs.) (kg)	Cat. No. Plated	List Price Each	Cat. No. Stainless	List Price Each
14 355	7½ 3.4	L14WC	17.00	L14WS	35.50
18 457	9 4.1	L18WC	18.00	L18WS	37.00
21 530	10½ 4.7	L21WC	19.00	L21WS	41.50
24 610	12 5.4	L24WC	20.00	L24WS	46.00
30 760	13½ 6.0	L30WC	25.50	L30WS	54.50
36 914	16½ 7.4	L36WC	29.00	L36WS	65.00
42 1066	19½ 8.7	L42WC	30.00	L42WS	70.00
48 1219	22½ 10.1	L48WC	34.50	L48WS	80.50
60 1524	30 13.5	L60WC	36.50	L60WS	92.50

*Actual ledge length is approximately 1" (25mm) shorter than nominal shelf length/width.



4" (101mm) Ledges

Rods and Tabs for Solid Shelves — 10.25

Create a more versatile system by enclosing sides and back of an entire unit. Tabs required to attach rods to a 4-shelf unit are supplied. Additional tabs also available in bags of 6 (see below).

Rods

Min. Post Height (in.)	Rod Length (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Plated	List Price Each
54	52 1320	1 0.5	R52FC	9.00
63	60 1524	1 0.5	R60FC	10.00
74	72 1830	1¼ 0.6	R72FC	11.00
86	84 2135	1½ 0.7	R84FC	12.50

Additional Tabs

Cat. No. **9184Z**
List Price 10.00 per bag of 6.



Rods with Tab in place

Shelf Dividers — 10.25

The easy way to keep shelves orderly. Eight inch (203mm) high dividers attach with spring clips (provided).

Length (in.) (mm)	Approx. Pkd. Wt. Per 6 Pieces (lbs.) (kg)	Cat. No. Plated	List Price Each	Cat. No. Stainless	List Price Each
14 355	12 5.4	DD14FC	18.00		
18 457	13½ 6.0	DD18FC	21.00	DD18FS	57.50
21 530	15 6.8	DD21FC	23.50		
24 610	16½ 7.4	DD24FC	26.50	DD24FS	69.00



Shelf Dividers

Solid Shelf Joining Clamp — 10.25

Save time and money by eliminating adjacent posts and replacing with solid shelf joining clamps. Join units end-to-end, back-to-back or at right angles. Two clamps required per shelf to attach to adjacent units.

Zinc. Cat. No. **9998Z**

List Price 4.50 each

Note: Shelves with joining clamps can only be attached to shelves supported by two or more posts.



Joining Clamp

Adjustable Undershelf Slides — 10.25

Create a convenient drawer system by combining a tote box with these slides. Two slides are required, and can be spaced to fit any width container.

Item	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Solid	List Price Each
For 18" (457mm) wide shelf	1 0.4	US18FA	46.50
For 21" (530mm) wide shelf	1 0.4	US21FA	49.50
For 24" (610mm) wide shelf	1 0.4	US24FA	52.50



Adjustable Undershelf Slides

*For application-specific totes, refer to index.

Stem Caster Carts — Solid — 11.10

- Consist of four shelves, posts, plastic split sleeves, donut bumpers and 5" (127mm) resilient rubber or poly casters as designated.
- Strong and versatile
- Solid Shelf Stem Caster Carts feature a 1/8" (3mm) raised "ship's edge" around perimeter of shelves to help contain spillage.

With Galvanized Flat Shelves and Chrome-Plated Posts 63" (1600mm) Posts — Overall Height 69" (1753mm)

Shelf Width/Length (in./mm)	Approx. Pkd. Wt. (lbs./kg)	Catalog Number with Casters							
		Four Swivel Resilient Rubber Casters	List Price Each	Two Swivel Two Brake Resilient Rubber Casters	List Price Each	Four Swivel Polyurethane Casters	List Price Each	Two Swivel Two Brake Polyurethane Casters	List Price Each
18x36 457x914	88 40	F336AG	518.00	F336BG	529.00	F336DG	582.00	F336EG	593.00
18x48 457x1219	104 47	F356AG	558.00	F356BG	569.00	F356DG	622.00	F356EG	633.00
18x60 457x1524	128 58	F366AG	608.00	F366BG	619.00	F366DG	672.00	F366EG	683.00
21x36 530x914	94 42	F436AG	542.00	F436BG	553.00	F436DG	606.00	F436EG	617.00
21x48 530x1219	112 51	F456AG	600.00	F456BG	611.00	F456DG	664.00	F456EG	675.00
21x60 530x1524	126 57	F466AG	658.00	F466BG	669.00	F466DG	722.00	F466EG	733.00
24x36 610x914	100 45	F536AG	580.00	F536BG	591.00	F536DG	644.00	F536EG	655.00
24x48 610x1219	124 56	F556AG	634.00	F556BG	645.00	F556DG	698.00	F556EG	709.00
24x60 610x1524	152 69	F566AG	688.00	F566BG	699.00	F566DG	752.00	F566EG	763.00

For specific caster information, see pages 26-30.



Solid Stem Caster with galvanized shelves

Dolly Trucks — Solid — 11.35

With Galvanized Shelves 63" (1600mm) Plated Posts and Aluminum Dolly

Shelf Width/Length (in./mm)	Approx. Pkd. Wt. (lbs./kg)	Catalog Number with Casters							
		Two B5DN Two B5DNB	List Price Each	Two B5P Two B5PB	List Price Each	Two 6P Set BL6P	List Price Each	Two 8P Set BL8P	List Price Each
18x36 457x914	104 47	F336JG	795.50						
18x48 457x1219	122 55	F356JG	858.50	F356LG	922.50				
18x60 457x1524	140 63	F366JG	938.50	F366LG	1,002.50				
24x36 610x914	118 53	F536JG	877.00	F536LG	941.00	F536MG	1,348.00		
24x48 610x1219	150 68	F556JG	953.00	F556LG	1,017.00	F556MG	1,424.00	F556PG	1,509.00
24x60 610x1524	178 81	F566JG	1,032.00	F566LG	1,096.00	F566MG	1,503.00	F566PG	1,576.50

With Stainless Steel Shelves 63" (1600mm) Stainless Steel Posts and Stainless Steel Dolly

Shelf Width/Length (in./mm)	Approx. Pkd. Wt. (lbs./kg)	Catalog Number with Casters							
		Two B5DN Two B5DNB	List Price Each	Two B5P Two B5PB	List Price Each	Two 6P Set BL6P	List Price Each	Two 8P Set BL8P	List Price Each
18x36 457x914	114 51	F336JS	1,765.50						
18x48 457x1219	134 61	F356JS	1,988.00	F356LS	2,052.00				
18x60 457x1524	154 70	F366JS	2,251.50	F366LS	2,315.50				
24x36 610x914	130 59	F536JS	1,974.50	F536LS	2,038.50	F536MS	2,445.50		
24x48 610x1219	168 76	F556JS	2,226.50	F556LS	2,290.50	F556MS	2,697.50	F556PS	2,782.50
24x60 610x1524	202 92	F566JS	2,535.50	F566LS	2,599.50	F566MS	3,006.50	F566PS	3,080.00

Replacement wraparound bumper kits are available. See your Metro representative for details. Dolly truck heights: B5P Series = 70" (1778mm) nominal overall height. 6P Series = 73" (1854mm) nominal overall height.



Solid Dolly Truck with stainless shelves

See page 44 for Super Erecta Solid Shelving accessories.

HD Super™ Solid Shelving The Super Heavyweight!

Heavy-duty system features 16-gauge solid shelves.

- Large 1⁵/₈" (41mm) diameter posts and 2" (51mm) shelf adjustability.
- Shelf options include flat or louvered/embossed styles, and galvanized or stainless steel finishes.

HD Super Flat Shelves — 10.65

Width/Length (in.) (mm)		Approx. Pkd. Wt. (lbs.) (kg)		Cat. No. Galvanized	List Price Each	Cat. No. Stainless	List Price Each
18x36	457x914	21	9.5	1836HFG	134.00	1836HFS	316.00
18x42	457x1066	23	10.4	1842HFG	152.50	1842HFS	385.50
18x48	457x1219	26	11.7	1848HFG	152.50	1848HFS	385.50
18x54	457x1370	28	12.7	1854HFG	176.00	1854HFS	461.50
18x60	457x1524	31	14.0	1860HFG	176.00	1860HFS	461.50
24x36	610x914	25	11.3	2436HFG	151.00	2436HFS	403.00
24x42	610x1066	29	13.1	2442HFG	176.00	2442HFS	482.00
24x48	610x1219	32	14.4	2448HFG	176.00	2448HFS	482.00
24x54	610x1370	35	15.8	2454HFG	209.00	2454HFS	577.50
24x60	610x1524	38	17.1	2460HFG	209.00	2460HFS	577.50

HD Super Louvered/Embossed Shelves — 10.65

Width/Length (in.) (mm)		Approx. Pkd. Wt. (lbs.) (kg)		Cat. No. Stainless	List Price Each
18x36	457x914	21	9.5	1836HLS	334.50
18x42	457x1066	23	10.4	1842HLS	397.00
18x48	457x1219	26	11.7	1848HLS	397.00
18x54	457x1370	28	12.7	1854HLS	476.50
18x60	457x1524	31	14.0	1860HLS	476.50
24x36	610x914	25	11.3	2436HLS	418.50
24x42	610x1066	29	13.1	2442HLS	491.50
24x48	610x1219	32	14.4	2448HLS	491.50
24x54	610x1370	35	15.8	2454HLS	589.50
24x60	610x1524	38	17.1	2460HLS	589.50

Note: The weight capacity of a HD Super Shelf is 1,000 lbs. (457kg) per shelf, evenly distributed across shelf.

HD Super Stationary Posts — 10.65

Height* (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless	List Price Each
56	1421	54HPC	53.00	54HPK3	61.50	54HPS	114.00
64	1624	63HPC	56.50	63HPK3	65.50	63HPS	123.50
76	1929	74HPC	59.50	74HPK3	72.00	74HPS	134.00

*Height includes leveling foot and cap.

Note: Special length posts are available. For more information, contact your Metro representative.

Packaging: 4 posts to a carton.

HD Super Stem Caster Posts — 10.65

Height (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome	List Price Each	Cat. No. Stainless	List Price Each
54 ⁹ / ₁₆	1386	54UHPC	53.00	54UHPS	114.00
62 ⁹ / ₁₆	1590	63UHPC	56.50	63UHPS	123.50
74 ⁵ / ₈	1894	74UHPC	59.50	74UHPS	134.00

HD Super Stem Casters — 10.65

Includes donut bumpers with each caster.


Wheel Diameter (in.) (mm)	Face Diameter (in.) (mm)	Type	Wheel Tread	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each		
5	127	1 ¹ / ₂	38.1	Swivel	Polyurethane	3 ¹ / ₂ 1.5	5HHP	61.00
5	127	1 ¹ / ₂	38.1	Brake	Polyurethane	3 ³ / ₄ 1.5	5HHPB	66.50



HD Super Solid Stainless Shelving with black powder-coated corners

Stainless solid shelving has black powder-coated corners. Galvanized solid shelving has uncoated cast corners.

HD Super™ shelves, posts, and casters found on pages 46 and 47 **are not** compatible with Super Erecta or Super Adjustable 2™ Super Erecta components.



HD Super Post



HD Super Stem Caster Post



HD Super Stem Caster

Indicates antimicrobial product.

HD Super™ Dunnage Shelves — 10.67

A super heavyweight among heavyweights!

- 48" (1219mm) rack has a 3,000 pound (1361kg) static load capacity (uniformly distributed); 60" (1524mm) rack carries up to 2,400 pounds (1089kg). For use on H.D. 1⁵/₈" (41mm) posts only.
- Removable wire deck (5/16" [7.9mm] diameter wire) lifts off for easy cleaning.
- Support frames: 1¹/₂" (38mm) square tubing.



HD Super Dunnage Shelf

Width/Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless	List Price Each
18x48 457x1219	35 15.7	1848HDRC	332.50	1848HDRK3	396.50	1848HDRS	778.50
18x60 457x1524	43 19.3	1860HDRC	397.00	1860HDRK3	473.00	1860HDRS	913.50
24x48 610x1219	38 17.1	2448HDRC	357.50	2448HDRK3	425.50	2448HDRS	845.50
24x60 610x1524	47 21.1	2460HDRC	420.50	2460HDRK3	501.50	2460HDRS	1,002.00

Important: In stationary shelving, stability decreases as the ratio of height to width increases and when heavier loads are placed on upper shelves. Keep units as wide and low as possible, using the dunnage shelf as the bottom shelf. If two dunnage shelves are being used, both should be placed within the lower half of the unit.

Note: Not compatible with Super Erecta or Super Adjustable 2™ Super Erecta components.

HD Super™ Cantilever Shelf — 10.67

Width/Length (in.) (mm)	Fits Unit	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome	List Price Each	Cat. No. Stainless	List Price Each
12x54 304x1372	60" (1524mm) long	11.8 5.3	1254CHC	87.50	1254CHS	214.50
12x60 304x1524	72" (1830mm) long & 96" (2440mm) long	12.7 5.7	1260CHC	87.50	1260CHS	214.50



HD Super™ Cantilever Shelf

HD Super™ Replacement Parts — 10.65

Replacement HD Super™ Aluminum Split Sleeves with Zinc Ring

4 pair per bag
Cat. No. **9986HZ** List Price 17.00 each

Replacement HD Super™ Plastic Split Sleeves

4 pair per bag
Plastic — Cat. No. **9985H** List Price 12.50 each

Post Clamps

Cat. No. **9994HZ** List Price 10.00 each

Replacement 5¹/₂" (140mm) Donut Bumpers

Cat. No. **9992H** List Price 10.00 each
Above fit 1⁵/₈" (41mm) posts only.

3¹/₂" (89mm) Foot Plates

Cat. No. **9993HS** List Price 27.50 each

Wall Mounting Brackets

(not shown)
Cat. No. **9984HZ** List Price 8.00 each




Replacement HD Super™ Aluminum Split Sleeve



Replacement HD Super™ Plastic Split Sleeve



Post Clamp



Replacement 5¹/₂" (140mm) Donut Bumper



3¹/₂" (89mm) Foot Plate

✓ Indicates antimicrobial product.