MATERIAL SAFETY DATA SHEET

Lancer Sales USA, Inc.

1150 Emma Oaks Tr, Ste 140, Lake Mary, FL 32746

DATE ISSUED: 12-MAR-13

SECTION I

PRODUCT IDENTIFICATION

PRODUCT NAME : LANCERACID

CHEMICAL NAME : ACIDIC BLEND FORMULA : PROPRIETARY

DOT HAZARD CLASS : CORROSIVE LIQUID, ACETIC ACID SOLUTION, 8, UN2790, PG III

HAZARD RATING (NFPA 704)

HAZARD RATING

PROTECTIVE EQUIPMENT

HEALTH: 2 0=MINIMAL A=GOGGLES

Fire: 0 1=Slight B=Goggles, Gloves

REACTIVITY: 1 2=MODERATE C= GOGGLES, GLOVES, APRON

PROTECTIVE EQUIPMENT: C 3=SERIOUS D=GOGGLES, GLOVES, APRON, FACE SHIELD

4=SEVERE E= GOGGLES, GLOVES, RESPIRATOR

CHEMTREC'S 24 HOUR EMERGENCY TELEPHONE NUMBER 800-424-9300

SECTION II

HAZARDOUS INGREDIENTS

Substances listed in this section are those identified as being present at a concentration of 1% or greater, or 0.1% if the substance is on the list of potential carcinogens cited in OSHA hazard communication standard.

MATERIAL CAS# TLV PEL

ACETIC ACID 000064-19-7 10 PPM OR 25MG/M3 10 PPM OR 25MG/M3

SECTION III

PHYSICAL DATA

BOILING POINT: 206 °F VOLATILE: 25%

VAPOR PRESSURE: <1.0 SOLUBILITY IN WATER: COMPLETE VAPOR DENSITY: (AIR=1): >1.0 SPECIFIC GRAVITY: 1.02-1.04 EVAPORATION RATE: (BUTYL ACETATE=1): >1.0 VISCOSITY: 25 CPS @ 68 °F

PH (CONCENTRATE): 1.0-2.5

DESCRIPTION: CLEAR SOLUTION, VINEGAR ODOR

SECTION IV

FIRE AND EXPLOSION HAZARDS

FLASH POINTS: NON-FLAMMABLE METHOD USED: C.O.C.

EXTINGUISHING MEDIA: WATER. WEAR PROTECTIVE PRESSURE SELF-BREATHING CONTAINED APPARATUS.

UNUSUAL FIRE OR EXPLOSIVE HAZARD: NONE

SECTION V

HEALTH HAZARD DATA

SIGNS AND SYMPTOMS OF EXPOSURE (SKIN, EYE CONTACT; INHALATION; INGESTION)

EYE CONTACT: MAY CAUSE PAIN, LACHRYMATION (TEAR), AND SEVERE IRRITATION TO CORNEAL.

INHALATION : MAY CAUSE SEVERE IRRITATION OF NOSE, MOUTH. EXCESSIVE EXPOSURE MAY

CAUSE SEVERE INJURY TO UPPER RESPIRATORY TRACT AND LUNGS.

INGESTION : CAN CAUSE BURNS TO MOUTH, THROAT, AND GASTROINTESTINAL TRACT. MAY

ALSO CAUSE ULCERATION.

SKIN CONTACT: SHORT, SINGLE EXPOSURE MAY CAUSE IRRITATION.

FIRST AID MEASURES

EYE CONTACT: IMMEDIATELY FLUSH EYES WITH LOTS OF RUNNING WATER FOR AT LEAST 15

MINUTES. PROMPT MEDICAL ATTENTION IS ESSENTIAL.

INHALATION : REMOVE TO FRESH AREA. IF NOT BREATHING, GIVE MOUTH TO MOUTH

RESUSCITATION. IF BREATHING IS DIFFICULT, ADMINISTER OXYGEN. CALL A

PHYSICIAN.

INGESTION : DO NOT INDUCE VOMITING. DRINK LARGE QUANTITIES OF WATER AND SEEK

MEDICAL ATTENTION IMMEDIATELY. NEVER GIVE ANYTHING BY MOUTH

TO AN UNCONSCIOUS PERSON.

SKIN CONTACT: WASH SKIN WITH LOTS OF SOAP AND WATER. REMOVE CONTAMINATED CLOTHING

AND SHOES; WASH BEFORE REUSE. IF IRRITATION OCCURS AND PERSISTS SEEK

MEDICAL ATTENTION.

SECTION VI

REACTIVITY DATA

STABILITY: STABLE

INCOMPATIBILITY (MATERIALS TO AVOID): AVOID CONTACT WITH MOST METALS, STRONG ALKALIES OR

OXIDIZERS.

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR.

CONDITIONS TO AVOID: DIRECT FLAME, CONTACT WITH METALS.

HAZARDOUS DECOMPOSITION: NONE

SECTION VII

SPILL OR LEAK PROCEDURES

CLEAN-UP PROCEDURES: ONLY TRAINED AND PROPERLY PROTECTED PERSONNEL SHOULD BE INVOLVED IN SPILLED CLEAN-UP OPERATIONS. MOP UP AND PLACE MATERIAL IN SEALABLE CONTAINERS FOR DISPOSAL. USE LIMESTONE, LIME OR SODA ASH TO NEUTRALIZE THE RESIDUES. FLUSH CONTAMINATED AREAS WITH WATER.

RECOMMENDED WASTE DISPOSAL METHOD: THE MATERIALS RESULTED FROM THE CLEAN-UP OPERATIONS MAY BE HAZARDOUS; THEREFORE, ARE SUBJECTED TO SPECIFIC REGULATIONS. DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS. ENSURE THAT ALL APPLICABLE AGENCIES RECEIVE PROPER NOTIFICATION OF SPILL AND DISPOSAL METHODS.

SECTION VIII

SPECIAL PROTECTION DATA

RESPIRATORY PROTECTION : NIOSH-APPROVED RESPIRATOR EQUIPPED WITH CARTRIDGE FOR

ORGANIC/ACID VAPORS.

EYE PROTECTION : CHEMICAL GOGGLES.

PROTECTIVE CLOTHING : RUBBER GLOVES, APRON. FULL-LENGTH CLOTHING AND SAFETY SHOES.

VENTILATION : LOCAL MECHANICAL EXHAUST VENTILATION

OTHER PROTECTIVE MEASURES: EYEWASH AND SAFETY SHOWER SHOULD BE NEARBY AND READY FOR USE.

SECTION IX

SPECIAL PRECAUTION

HYGIENIC PRACTICES IN HANDLING STORING: WASH THOROUGHLY AFTER HANDLING.

PRECAUTION TO BE TAKEN IN HANDLING AND STORING: STORE IN COOL, DRY, VENTILATED AREAS

DISPOSAL OF EMPTY CONTAINER: EMPTY CONTAINERS SHOULD BE TRIPLE RINSED WITH WATER AND DISPOSED OF PURSUANT TO LOCAL, STATE, AND FEDERAL REQUIREMENTS.

SECTION X

USER'S RESPONSIBILITY

THE RESPONSIBILITY TO PROVIDE A SAFE WORKPLACE REMAINS WITH THE USER. THE USER SHOULD CONSIDER THE HEALTH HAZARD AND SAFETY INFORMATION CONTAINED HEREIN AS A GUIDE AND SHOULD TAKE THOSE PRECAUTIONS REQUIRED IN AN INDIVIDUAL OPERATION TO INSTRUCT EMPLOYEES AND DEVELOP WORK PRACTICE PROCEDURES FOR A SAFE WORK ENVIRONMENT.

THE INFORMATION CONTAINED HEREIN, TO THE BEST OF OUR KNOWLEDGE AND BELIEF, IS ACCURATE. HOWEVER, SINCE THE CONDITIONS OF HANDLING AND USE ARE BEYOND OUR CONTROL, WE MAKE NO GUARANTEE OF RESULTS, AND ASSUME NO LIABILITY FOR DAMAGES INCURRED BY USE OF THIS MATERIAL. IT IS THE RESPONSIBILITY OF THE USER TO COMPLY WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS.